ELSEVIER

Meat Science 53 (1999) 275–282

MEAT SCIENCE

Contents of Volume 51

Number 1

1 A comparison of fat composition of Japanese and long-term grain-fed Australian steers
A. YANG, T.W. LARSEN, V.H. POWELL, R.K. TUME (Australia)

11 Pre-cure freezing affects proteolysis in dry-cured hams
S. BAÑÓN, J.M. CAYUELA, M.V. GRANADOS, M.D. GARRIDO (Spain)

17 Effect of content of protein, fat and modified starch on binding textural characteristics, and colour of comminuted scalded sausages
Z. PIETRASIK (Poland)

27 Estimation of chemical carcass composition from 8th rib characteristics with Belgian blue double-muscled bulls
S. DE CAMPENEERE, L.O. FIEMS, G. VAN DE VOORDE, J.M. VANACKER, CH.V. BOUCQUÉ, D.I. DEMEYER (Belgium)

35 Effects of high-intensity high-frequency ultrasound on ageing rate, ultrastructure and some physico-chemical properties of beef
F. GOT, J. CULIOLI, P. BERGE, X. VIGNON, T. ASTRUC, J.M. QUIDEAU, M. LETHIECQ (France)

43 The influence of added whey protein/carrageenan gels and tapioca starch on the textural properties of low fat pork sausages
P.H. LYONS, J.F. KERRY, P.A. MORRISSEY, D.J. BUCKLEY (Ireland)

53 Sensory characteristics of cooked pork loin as affected by nucleotide content and post-mortem meat quality
M. FLORES, E. ARMERO, M.-C. ARISTOY, F. TOLDRÁ (Spain)

61 Effect of rigor temperature on muscle shortening and tenderisation of restrained and unrestrained beef *M. longissimus thoracicus et lumborum*
C.E. DEVINE, N.M. WAHLGREN, E. TORNBERG (Sweden)

73 Quality of pig adipose tissue: relationship between solid fat content and lipid composition
A. DAVENEL, A. RIAUBLANC, P. MARCHAL, G. GANDEMER (France)

81 Release of major ions during *rigor mortis* development in kid *Longissimus dorsi* muscle
C. FEIDT, J. BRUN-BELLUT (France)

91 Meat quality of wether lambs grazed on either saltbush (*Atriplex nummularia*) plus supplements or lucerne (*Medicago sativa*)
D.L. HOPKINS, A. NICHOLSON (Australia)

97 On-line NIR analysis of fat, water and protein in industrial scale ground meat batches
G. TØGERSEN, T. ISAKSSON, B.N. NILSEN, E.A. BAKKER, K.I. HILDRUM (Norway)

Number 2

103 Effect of fat level and storage conditions on quality characteristics of traditional Greek sausages
S.N. PAPADIMA, J.G. BLOUKAS (Greece)

115 Considerations of critical microorganisms and indicator enzymes in connection with the pasteurization of meat products
K. INCZE, L. KÖRMENDY, I. KÖRMENDY, G. ZSARNÓCZAY (Hungary)

123 Lipolytic and oxidative changes in two Spanish pork loin products: dry-cured loin and pickled-cured loin
P. HERNÁNDEZ, J.L. NAVARRO, F. TOLDRÁ (Spain)

129 Changes in intramuscular lipids during ripening of Iberian dry-cured ham
L. MARTÍN, J.J. CÓRDOBA, J. VENTANAS, T. ANTEQUERA (Spain)

0309-1740/99/$ - see front matter © 1999 Published by Elsevier Science Ltd. All rights reserved.

135 The influence of a period of ageing on the relationship between ultimate pH and shear values of beef *m. longissimus thoracis*
R.W. PURCHAS (New Zealand), X. YAN (Peoples Republic of China), D.G. HARTLEY (New Zealand)

143 A quick and simple method for the identification of meat species and meat products by PCR assay
T. MATSUNAGA, K. CHIKUNI, R. TANABE, S. MUROYA, K. SHIBATA, J. YAMADA, Y. SHINMURA (Japan)

149 The effect of proteasome on myofibrillar structures in bovine skeletal muscle
N. ROBERT, M. BRIAND, R. TAYLOR, Y. BRIAND (France)

155 Metmyoglobin reductase activity in porcine *m. longissimus dorsi* muscle
A. MIKKELSEN, D. JUNCHER, L.H. SKIBSTED (Denmark)

163 Effect of initial mild curing, with additives, of hog and sheep sausage casings on their microbial quality and mechanical properties after storage at difference temperatures
W.A.M. BAKKER, J.H. HOUBEN, P.A. KOOLMEES (The Netherlands), U. BINDRICH, L. SPREHE (Germany)

175 Volatile compounds of commercial Milano salami
A. MEYNIER (France), E. NOVELLI, R. CHIZZOLINI, E. ZANARDI (Italy), G. GANDEMER (France)

185 Effects of the terminal sire type and sex on pork muscle cathepsins (B, B + L and H), cysteine proteinase inhibitors and lipolytic enzyme activities
E. ARMERO, J.-A. BARBOSA, F. TOLDRÁ, M. BASELGA, M. PLA (Spain)

Research note

191 Procedure for determination of glycolytic potential in porcine *m. longissimus dorsi*
H. MARIBO, S. STØIER, P.F. JØRGENSEN (Denmark)

195 Book review

Number 3

197 Composition, solubility and gel properties of salt soluble proteins from two bovine muscle types
V. VEGA-WARNER, R.A. MERKEL, D.M. SMITH (USA)

205 Bone marrow measurements for mechanically recovered products from machines that press bones
R.A. FIELD (USA)

215 Free amino acids and dipeptides in porcine muscles: differences between 'red' and 'white' muscles
M. CORNET, J. BOUSSET (France)

221 Comparison of different dietary magnesium supplements on pork quality
D.N. D'SOUZA, R.D. WARNER, F.R. DUNSHEA, B.J. LEURY (Australia)

227 Influence of dietary α-tocopheryl acetate supplementation of pigs on oxidative deterioration and weight loss in sliced dry-cured ham
B. ISABEL, C.J. LOPEZ-BOTE, A.I. REY, R.S. ARIAS (Spain)

233 Establishment and application of a polymerase chain reaction for the identification of beef
Z. GUOLI, Z. MINGGUANG, Z. ZHIJIANG, O. HONGSHENG, L. QIANG (People's Republic of China)

237 Changes in texture, cooking losses, and myofibrillar structure of bovine *M. semitendinosus* during heating
K. PALKA (Poland), H. DAUN (USA)

245 A comparison of carnosine and ascorbic acid on color and lipid stability in a ground beef pattie model system
B.J. LEE, D.G. HENDRICKS, D.P. CORNFORTH (USA)

255 Postmortem meat quality and sex affect textural properties and protein breakdown of dry-cured ham
G. TABILO, M. FLORES, S.M. FISZMAN, F. TOLDRÁ (Spain)

261 Slicing frozen meat with an oscillating knife
M.J. KING (New Zealand)

271 Chemometric model for describing Greek traditional sausages
S.N. PAPADIMA, I. ARVANITOYANNIS, J.G. BLOUKAS, G.C. FOURNITZIS (Greece)

Number 4

279 Microbial spoilage of meats offered for retail sale in Mexico City
M.L. PÉREZ CHABELA, G.M. RODRÍGUEZ SERRANO, P. LARA CALDERÓN, I. GUERRERO (Mexico)

283 Muscle composition and fatty acid profile in lambs fattened in drylot or pasture
A. ROWE, F.A.F. MACEDO, J.V. VISENTAINER, N.E. SOUZA, M. MATSUSHITA (Brazil)

289 Comparison of sensory properties of hamburgers cooked by conventional and carcinogen reducing 'safe grill' equipment
N. SUNDARARAJAN, M. NDIFE, R. BASEL, S. GREEN (USA)

297 Textural assessment of clenbuterol treatment in beef
M. LUÑO, J.A. BELTRÁN, I. JAIME, P. RONCALÉS (Spain)

305 Relationship between biogenic amine contents and the size of dry fermented sausages
S. BOVER-CID, S. SCHOPPEN, M. IZQUIERDO-PULIDO, M.C. VIDAL-CAROU (Spain)

313 Comparison of different methods for measuring water holding capacity and juiciness of pork versus on-line screening methods
M.J. VAN OECKEL, N. WARNANTS, CH.V. BOUCQUÉ (Belgium)

321 Cholesterol and fat contents of Spanish commercial pork cuts
M. DORADO, E.M. MARTÍN GÓMEZ, F. JIMÉNEZ-COLMENERO, T.A. MASOUD (Spain)

325 A simple and inexpensive DNA purification for malignant hyperthermia PCR detection in porcine hair roots
M. BAUEROVÁ, M. BAUER, D. VAŠÍČEK (Slovak Republic)

329 The effect of meat quality, salt and ageing time on biochemical parameters of dry-cured *Longissimus dorsi* muscle
M. GIL, L. GUERRERO, C. SÁRRAGA (Spain)

339 Effectiveness of morphometric measurements for improvement of the prediction accuracy of beef carcass composition
M. ZEMBAYASHI (Japan)

349 Physicochemical and microbiological changes in irradiated fresh pork loins
M.K. DOGBEVI, C. VACHON, M. LACROIX (Canada)

355 Lipid oxidation, color changes and volatiles production in irradiated pork sausage with different fat content and packaging during storage
C. JO, J.I. LEE, D.U. AHN (USA)

363 Textural effect of chilling hot *Longissimus dorsi* muscle with solid CO_2
M.V.L. SWAIN, A.J. GIGIEL, G. LIMPENS (UK)

371 Injection of water and polyphosphate into pork to improve juiciness and tenderness after cooking
P.R. SHEARD, G.R. NUTE, R.I. RICHARDSON, A. PERRY, A.A. TAYLOR (UK)

377 Sodium chloride levels in comminuted chicken muscle in relation to processing characteristics and Fresnel reflectance detected with a polarimetric probe
H.J. SWATLAND, S. BARBUT (Canada)

383 Breed type and ageing time effects on sensory characteristics of beef strip loin steaks
M.M. CAMPO, C. SAÑUDO, B. PANEA, P. ALBERTI, P. SANTOLARIA (Spain)

391 Influence of loading method and stocking density during transport on meat and dry-cured ham quality in pigs with different halothane genotypes
L. NANNI COSTA, D.P. LO FIEGO, S. DALL'OLIO, R. DAVOLI, V. RUSSO (Italy)

Contents of Volume 52

Number 1

1 Combined effects of chilling rate, low voltage electrical stimulation and freezing on sensory properties of bovine *M. longissimus dorsi*
K.I. HILDRUM, M. SOLVANG, B.N. NILSEN, T. FRØYSTEIN, J. BERG (Norway)

9 Hind-limb protein metabolism and calpain system activity influence post-mortem change in meat quality in lamb
M.B. MCDONAGH (Australia), C. FERNANDEZ (Spain), V.H. ODDY (Australia)

19 Volatile compounds of dry-cured Iberian ham as affected by the length of the curing process
J. RUIZ, J. VENTANAS, R. CAVA, A. ANDRÉS, C. GARCÍA (Spain)

29 Knife and impact cutting of lamb bone
M.J. KING (New Zealand)

39 Effect of a high linoleic acid diet on lipogenic enzyme activities and on the composition of the lipid fraction of fat and lean tissues in the pig
M. KOUBA, J. MOUROT (France)

47 Effects of rigor attainment temperature on meat blooming and colour on display
O.A. YOUNG (New Zealand), A. PRIOLO (Italy), N.J. SIMMONS, J. WEST (New Zealand)

57 The effect of RN gene on yields and quality of extended cooked cured hams
C. GARIÉPY, D. GODBOUT (Canada), X. FERNANDEZ, A. TALMANT (France), A. HOUDE (Canada)

65 Tyramine production by a strain of *Carnobacterium divergens* inoculated in meat–fat mixture
F. MASSON (France), G. JOHANSSON (Sweden), M.C. MONTEL (France)

71 Calpain–calpastatin and toughness in *M. longissimus* from electrically stimulated lamb and beef carcasses
J.D. MORTON, R. BICKERSTAFFE, M.P. KENT (New Zealand), E. DRANSFIELD (France), G.M. KEELEY (New Zealand)

81 Myoglobin inhibition of most protease activities measured with fluorescent substrates is an artifact!
B. VOLLE, D. DUTAUD, A. OUALI (France)

89 Effect of carnosine, salt and dietary vitamin E on the oxidative stability of chicken meat
L.M. O'NEILL, K. GALVIN, P.A. MORRISSEY, D.J. BUCKLEY (Ireland)

95 Effect of dietary vitamin E supplementation on the colour and lipid stability of fresh, frozen and vacuum-packaged beef
M.P. LYNCH, J.P. KERRY, D.J. BUCKLEY (Ireland), C. FAUSTMAN (USA), P.A. MORRISSEY (Ireland)

101 Antioxidant activity of mechanically separated pork extracts
J. GOPALAKRISHNAN, E.A. DECKER, W.J. MEANS (USA)

111 Effects of muscle α-tocopherol level and surface microbiological contamination on retail caselife of fresh beef from the US, Japan and Australia
H.N. ZERBY, K.E. BELK, J.K. AHOLA, J.N. SOFOS, D.M. SCHAEFER, J.B. MORGAN, G.C. SMITH (USA)

Number 2

119 Castration and slaughter age effects on nutritive value of the "mestiço" goat meat
M.S. MADRUGA, S.G.B. ARRUDA, J.A. NASCIMENTO (Brazil)

127 Expanded extrudates from corn starch–lamb blends: process optimization using response surface methodology
K.S. RHEE, S.H. CHO, A.M. PRADAHN (USA)

135 Composition, storage stability and sensory properties of expanded extrudates from blends of corn starch and goat meat, lamb, mutton, spent fowl meat, or beef
K.S. RHEE, S.H. CHO, A.M. PRADAHN (USA)

143 Effects of high pressure treatments on intramuscular connective tissue
Y. UENO, Y. IKEUCHI, A. SUZUKI (Japan)

151 Effect of time of deboning and sample size on drip loss of pork
W. VAN MOESEKE, S. DE SMET (Belgium)

157 The storage life of beef and pork packaged in an atmosphere with low carbon monoxide and high carbon dioxide
O. SØRHEIM, H. NISSEN, T. NESBAKKEN (Norway)

165 Oxidative and lipolytic changes during ripening of Iberian hams as affected by feeding regime: extensive feeding and alpha-tocopheryl acetate supplementation
R. CAVA, J. RUIZ, J. VENTANAS, T. ANTEQUERA (Spain)

173 Partial least squares (PLS) regression for the analysis of instrument measurements and sensory meat quality data
P.J. TOSCAS, F.D. SHAW, S.L. BEILKEN (Australia)

179 Electrical stimulation of pigs—effect on pH fall, meat quality and Cathepsin B + L activity
H. MARIBO, P. ERTBJERG, M. ANDERSSON, P. BARTON-GADE, A.J. MØLLER (Denmark)

189 Effect of muscle type, salt and pH on cooked meat haemoprotein formation in lamb and beef
G.N. LYTRAS, A. GEILESKEY, R.D. KING, D.A. LEDWARD (UK)

195 Effect of slaughter weight and/or age on histological characteristics of pig *longissimus dorsi* muscle as related to meat quality
M. ČANDEK-POTOKAR (Slovenia), L. LEFAUCHEUR (France), B. ŽLENDER (Slovenia), M. BONNEAU (France)

205 The effect of increasing carcass weight of finishing boars and gilts on joint composition and meat quality
V.E. BEATTIE, R.N. WEATHERUP, B.W. MOSS, N. WALKER (Northern Ireland)

213 Membrane lipid oxidation and proteolytic activity in thigh muscles from broilers fed different diets
C. SÁRRAGA, J.A. GARCÍA REGUEIRO (Spain)

221 Influence of sex and slaughter weight on carcass and meat quality in light and medium weight lambs produced in intensive systems
H. VERGARA, A. MOLINA, L. GALLEGO (Spain)

227 Optimization of the still-marinating process of chicken parts
A.L.S.C. LEMOS, D.R.M. NUNES, A.G. VIANA (Brazil)

Number 3

235 Body composition of lambs receiving 30 or 60 days of exercise training and (or) fenoterol treatment
R.P. GARRETT, K.G. BRITAIN, J.W. SAVELL, J.W. EDWARDS, S.B. SMITH (USA)

247 Characterisation of low-fat high-dietary fibre frankfurters
N. GRIGELMO-MIGUEL, M.I. ABADÍAS-SERÓS, O. MARTÍN-BELLOSO (Spain)

257 Effect of natural colourants and nitrites on colour attributes of frankfurters
J.G. BLOUKAS, I.S. ARVANITOYANNIS, A.A. SIOPI (Greece)

267 The influence of meat pH on mechanical and sensory textural properties of dry-cured ham
L. GUERRERO, P. GOU, J. ARNAU (Spain)

275 Freezing rate simulation as an aid to reducing crystallization damage in foods
P.D. SANZ, C. DE ELVIRA (Spain), M. MARTINO, N. ZARITZKY (Argentina), L. OTERO, J.A. CARRASCO (Spain)

279 Refrigerated shelf life of vacuum-packaged, previously frozen ostrich meat
M.M. OTREMBA, M.E. DIKEMAN, E.A.E. BOYLE (USA)

285 Improvement of color and lipid stability of rabbit meat by dietary supplementation with vitamin E
C. CORINO, G. PASTORELLI, L. PANTALEO, G. ORIANI, G. SALVATORI (Italy)

291 The relationship of sarcoplasmic and myofibrillar protein solubility to colour and water-holding capacity in porcine longissimus muscle
S.T. JOO (South Korea), R.G. KAUFFMAN (USA), B.C. KIM, G.B. PARK (South Korea)

299 Consequences of packaging on bacterial growth. Meat is an ecological niche
J. LABADIE (France)

307 Determination of lean meat in pig carcasses with the Autofom classification system
H. BUSK, E.V. OLSEN, J. BRØNDUM (Denmark)

315 Development of meat and carcass quality characteristics in Iberian pigs reared outdoors
A.I. MAYORAL, M. DORADO, M.T. GUILLÉN, A. ROBINA, J.M. VIVO, C. VÁZQUEZ, J. RUIZ (Spain)

325 Influence of aromatic components from pig manure on odour and flavour of cooked chicken meat
L.L. HANSEN, A.E. LARSEN, M. HAMMERSHØJ, P. SØRENSEN, J. HANSEN-MØLLER (Denmark)

331 Effects of electrical and mechanical stunning methods on meat quality in ostriches
E. LAMBOOIJ (The Netherlands), C.M. POTGIETER, C.M. BRITZ, G.L. NORTJÉ (Republic of South Africa), C. PIETERSE (The Netherlands)

Number 4

339 Some neural and behavioural aspects of electrical and mechanical stunning in ostriches
E. LAMBOOIJ, C. PIETERSE (The Netherlands), C.M. POTGIETER, J.D. SNYMAN, G.L. NORTJÉ (Republic of South Africa)

347 Measurement and prediction of pork colour
M.J. VAN OECKEL, N. WARNANTS, Ch.V. BOUCQUÉ (Belgium)

355 The influence of goat genotype on the production of Capretto and Chevon carcasses. 1. Growth and carcass characteristics
J.S. DHANDA, D.G. TAYLOR, J.E. McCOSKER, P.J. MURRAY (Australia)

363 The influence of goat genotype on the production of Capretto and Chevon carcasses. 2. Meat quality
J.S. DHANDA, D.G. TAYLOR, P.J. MURRAY, J.E. McCOSKER (Australia)

369 The influence of goat genotype on the production of Capretto and Chevon carcasses. 3. Dissected carcass composition
J.S. DHANDA, D.G. TAYLOR, J.E. McCOSKER, P.J. MURRAY (Australia)

375 The influence of goat genotype on the production of Capretto and Chevon carcasses. 4. Chemical composition of muscle and fatty acid profiles of adipose tissue
J.S. DHANDA, D.G. TAYLOR, P.J. MURRAY, J.E. McCOSKER (Australia)

381 Effect on the cholesterol content of fresh lamb of supplementing the feed of Awassi ewes and lambs with *Lactobacillus acidophilus*
W. LUBBADEH, M.S.Y. HADDADIN, M.A. AL-TAMIMI (Jordan), R.K. ROBINSON (UK)

387 High voltage electrical stimulation: its effect on microbial contamination of lamb carcases in a commercial abattoir
D.S. EDWARDS (UK)

391 Methodological approach to evaluate the effects of age at slaughter and storage temperature and time on sensory profile of lamb meat
A. CARLUCCI, F. NAPOLITANO, A. GIROLAMI, E. MONTELEONE (Italy)

397 Lipid and cholesterol oxidation products in dry-cured ham
C.S. VESTERGAARD, G. PAROLARI (Italy)

403 Dry fermented sausages made with a protease from *Aspergillus oryzae* and/or a starter culture
M.J. ZAPELENA, I. ASTIASARÁN, J. BELLO (Spain)

411 The influence of manufacturing and drying conditions on the survival and toxinogenesis of *Staphylococcus aureus* in two Spanish dry sausages (chorizo and salchichón)
M.E. GONZÁLEZ-FANDOS, M. SIERRA, M.L. GARCÍA-LOPEZ, M.C. GARCÍA-FERNÁNDEZ, A. OTERO (Spain)

421 Effect of lupin seed proteins on quality characteristics of fermented sausages
E.J. PAPAVERGOU, J.G. BLOUKAS, G. DOXASTAKIS (Greece)

429 Thermal gelation properties of surimi-like material made from sheep meat
R.E. ANTONOMANOLAKI, K.P. VARELTZIS, S.A. GEORGAKIS, E. KALDRYMIDOU (Greece)

437 Use of isotope analysis to characterize meat from Iberian-breed swine
I. GONZÁLEZ-MARTIN, C. GONZÁLEZ-PÉREZ, J. HERNÁNDEZ MÉNDEZ, E. MARQUÉS-MACIAS, F. SANZ POVEDA (Spain)

443 Cooking rate, pH and final endpoint temperature effects on color and cook loss of a lean ground beef model system
M.S. BREWER, J. NOVAKOFSKI (USA)

453 Influence of ultimate pH on bovine meat tenderness during ageing
J.A. SILVA, L. PATARATA, C. MARTINS (Portugal)

Contents of Volume 53

Number 1

1 Electrophoretic separation of bovine muscle myosin heavy chain isoforms
B. PICARD, C. BARBOIRON, M.P. DURIS, H. GAGNIÉRE, C. JURIE, Y. GEAY (France)

9 Structural and functional characteristics of muscle fibres in pigs with different malignant hyperthermia susceptibility (MHS) and different meat quality
I. FIEDLER, K. ENDER, M. WICKE, S. MAAK, G.v. LENGERKEN, W. MEYER (Germany)

17 Image texture features as indicators of beef tenderness
J. LI, J. TAN, F.A. MARTZ, H. HEYMANN (USA)

23 Sodium lactate and storage temperature effects on shelf life of vacuum packaged beef top rounds
J.V. MACA, R.K. MILLER, M.E. BIGNER, L.M. LUCIA, G.R. ACUFF (USA)

31 The use of elastography to measure quality characteristics of pork *semimembranosus* muscle
E.P. BERG, F. KALLEL, F. HUSSAIN, R.K. MILLER, J. OPHIR, N. KEHTARNAVAZ (USA)

37 Hot processing and grind size affect properties of cooked beef patties
B.W. BERRY, M.E. BIGNER-GEORGE, J.S. EASTRIDGE (USA)

45 Utilization of soy protein isolate and konjac blends in a low-fat bologna (model system)
K.B. CHIN, J.T. KEETON, M.T. LONGNECKER, J.W. LAMKEY (USA)

59 Influence of intramuscular fat content on the quality of pig meat — 1. Composition of the lipid fraction and sensory characteristics of *m. longissimus lumborum*
X. FERNANDEZ, G. MONIN, A. TALMANT, J. MOUROT, B. LEBRET (France)

67 Influence of intramuscular fat content on the quality of pig meat — 2. Consumer acceptability of *m. longissimus lumborum*
X. FERNANDEZ, G. MONIN, A. TALMANT, J. MOUROT, B. LEBRET (France)

Number 2

73 Cholesterol content and fatty acid composition of rhea meat
J. SALES, J.L. NAVARRO, M.B. MARTELLA, M.E. LIZURUME, A. MANERO, L. BELLIS, P.T. GARCIA (Argentina)

77 Consumer perception facts and possibilities to improve acceptability of health and sensory characteristics of pork
W. VERBEKE, M.J. VAN OECKEL, N. WARNANTS, J. VIAENE, CH.V. BOUCQUÉ (Belgium)

101 The effect of stress, applied immediately before stunning, on pork quality
P.G. VAN DER WAL, B. ENGEL, H.G.M. REIMERT (The Netherlands)

107 Changes in connective tissue of *M. semitendinosus* as a response to different growth paths in steers
G.S. HARPER, P.G. ALLINGHAM, R.P. LE FEUVRE (Australia)

115 Effect of the type of diet on muscle characteristics and meat palatability of growing Salers bulls
A. LISTRAT, N. RAKADJIYSKI, C. JURIE, B. PICARD, C. TOURAILLE, Y. GEAY (France)

125 Effects of electrical stimulation and genotype on early postmortem muscle pH and temperature declines in pigs
B.C. BOWKER, E.J. WYNVEEN, A.L. GRANT, D.E. GERRARD (USA)

135 Optical measurements of pH in meat
J.R. ANDERSEN, C. BORGGAARD, A.J. RASMUSSEN, L.P. HOUMØLLER (Denmark)

143 Hind-limb protein metabolism and calpain system activity influence post-mortem change in meat quality in lamb [Meat Science 52(1) 9–18]
M.B. MCDONAGH (Australia), C. FERNANDEZ (Spain), V.H. ODDY (Australia)

Number 3

145 Capillary gel electrophoresis versus SDS PAGE of exudate from fresh pork
T.M. NGAPO, M. ALEXANDER (Australia)

149 Freezing and thawing rate effects on drip loss from samples of pork
T.M. NGAPO (France), I.H. BABARE, J. REYNOLDS, R.F. MAWSON (Australia)

159 Freezing rate and frozen storage effects on the ultrastructure of samples of pork
T.M. NGAPO, I.H. BABARE, J. REYNOLDS, R.F. MAWSON (Australia)

169 A preliminary investigation of the effects of frozen storage on samples of pork
T.M. NGAPO, I.H BABARE, J. REYNOLDS, R.F. MAWSON (Australia)

179 Low voltage electrical stimulation of lamb carcasses: effects on meat quality
P. POLIDORI (Italy), S. LEE, R.G. KAUFFMAN, B.B. MARSH (USA)

183 The effects of a starter culture on the formation of biogenic amines in Turkish soudjoucks
K. AYHAN, N. KOLSARICI, G.A ÖZKAN (Turkey)

189 Changes in intramuscular connective tissue and collagen solubility of bovine *m. semitendinosus* during retorting
K. PALKA (Poland)

195 Post-mortem variation in pH, temperature, and colour profiles of veal carcasses in relation to breed, blood haemoglobin content, and carcass characteristics
R.E. KLONT, V.M.H. BARNIER (The Netherlands), F.J.M. SMULDERS (Austria), A. VAN DIJK, A.H. HOVING-BOLINK, G. EIKELENBOOM (The Netherlands)

203 Objective measurement of veal color for classification purposes
C. DENOYELLE, F. BERNY (France)

211 Effect of type of suckling and length of lactation period on carcass and meat quality in intensive lamb production systems
H. VERGARA, L. GALLEGO (Spain)

Number 4

217 A note on the influence of heat treatment, salting and smoking on the acceptability of camel meat products
A. ZEGEYE (Ethiopia)

221 Dietary tea reduces the iron content of beef
M. ZEMBAYASHI (Japan), D.K. LUNT, S.B. SMITH (USA)

227 An actin gene-related polymerase chain reaction (PCR) test for identification of chicken in meat mixtures
A.J. HOPWOOD, K.S. FAIRBROTHER, A.K. LOCKLEY, R.G. BARDSLEY (UK)

233 Effects of raw binder system, meat cut and prior freezing on restructured beef
J.A. BOLES, P.J. SHAND (Canada)

241 Colour stability of beef from different Spanish native cattle breeds stored under vacuum and modified atmosphere
K. INSAUSTI, M.J. BERIAIN, A. PURROY, P. ALBERTI, L. LIZASO, B. HERNANDEZ (Spain)

251 *Listeria innocua* and aerobic mesophiles during chill storage of inoculated mechanically recovered poultry meat treated with high hydrostatic pressure
J. YUSTE, M. MOR-MUR, M. CAPELLAS, R. PLA (Spain)

259 Pork tenderness estimation by taste panel, Warner–Bratzler shear force and on-line methods
M.J. VAN OECKEL, N. WARNANTS, Ch.V. BOUCQUÉ (Belgium)

269 Bacteriological comparison of parallel and counter flow water chilling of poultry meat
T. PETRAK, Z. KALODERA, P. NOVAKOVIĆ, L. GUMHALTER KAROLYI (Croatia)